

DAFTAR PUSTAKA

- Agustin, M. (2016). *Gambaran C-Reactive Protein pada Obesitas*. Politeknik Kesehatan Bandung Jurusan Analis Kesehatan.
- Al-Shukaili, A., Al-Ghafri, S., Al-Marhoobi, S., *et al.* (2013). Analysis of Inflammatory Mediators in Type 2 Diabetes Patients. *International Journal of Endocrinology*, 2013, 8–10.
- Ansar, W., & Ghosh, S. (2016). *Biology of C Reactive Protein in Health and Disease*. Springer.
- Ates, I., Kaplan, M., Yuksel, M., *et al.* (2015). Determination of Thiol/Disulphide Homeostasis in Type 1 Diabetes Mellitus and The Factors Associated with Thiol Oxidation. *Endocrine Methods and Techniques*, 51(1), 47–51.
- Brownlee, M. (2005). Banting Lecture 2004: The Pathobiology of Diabetic Complications: A Unifying Mechanism. *Diabetes*, 54(6), 1615–1625.
- Dwipayana, P., Saraswati, I., & Suastika, K. (2017). Perbandingan Kadar C-Reactive Protein Pada Penderita Diabetes Melitus Tipe 2 Yang Diterapi Dengan Insulin dan Obat Hipoglikemik Oral di Poliklinik Penyakit Dalam Rumah Sakit Umum Pusat Sanglah Denpasar Bali. *Jurnal Penyakit Dalam Udayana*, 1(2), 45–51.
- Hermans, M. P., Ahn, S. A., & Rousseau, M. F. (2019). Increased CRP: An Extended Biomarker of Microvascular Risk in Men with Type 2 Diabetes. *Journal of Diabetes and Its Complications*, 33(11), 1–6.
- Hortenhuber, T., Rami-Mehar, B., Satler, M., *et al.* (2013). Endothelial Progenitor Cells are Related to Glycemic Control in Children with Type 1 Diabetes Over Time. *Diabetes Care*, 36(6), 1647–1653.
- IDF. (2019). IDF Diabetes Atlas Ninth edition 2019. In *International Diabetes Federation* (9th ed.).
- Jabeen, F., Fawwad, A., Rizvi, H. A., *et al.* (2013). Role of Platelet Indices, Glycemic Control and hs-CRP in Pathogenesis of Vascular Complications in Type-2 Diabetic Patients. *Pakistan Journal of Medical Sciences*, 29(1), 152–156.
- Kalma. (2018). Studi Kadar CRP pada Penderita Diabetes Melitus Tipe 2. *Media Analis Kesehatan*, 1, 62–68.
- Kawthalkar, S. M. (2010). *Essentials of Clinical Pathology* (1st ed.). Jaypee Brothers Medical Publisher.

- Llaurado, G., Ceperuelo-Mallafre, V., Vilardell, C., *et al.* (2013). Impaired Endothelial Function is Not Associated with Arterial Stiffness in Adults with Type 1 Diabetes. *Diabetes and Metabolism*, 39(4), 355–362.
- Llaurado, Gemma, Ceperuelo-Mallafre, V., Vilardell, C., *et al.* (2012). Arterial Stiffness is Increased in Patients with Type 1 Diabetes Without Cardiovascular Disease. *Diabetes Care*, 35(5), 1083–1089.
- Melin, E. O., Thulesius, H. O., Hillman, M., *et al.* (2018). Abdominal Obesity in Type 1 Diabetes Associated with Gender, Cardiovascular Risk Factors and Complications, and Difficulties Achieving Treatment Targets: A Cross Sectional Study at a Secondary Care Diabetes Clinic. *BMC Obesity*, 5(1), 1–10.
- Mirza, S., Hossain, M., Mathews, C., *et al.* (2012). Type 2 Diabetes is Associated with Elevated Levels of TNF- α , IL-6 and Adiponectin and Low Levels of Leptin in a Population of Mexican Americans: A Cross-sectional Study. *Cytokine*, 57(1), 136–142.
- Nisa, H. (2016). Peran C-Reactive Protein untuk Menimbulkan Risiko Penyakit. *Jmi*, 13(1), 1–8.
- Nugraha, G., & Badrawi, I. (2018). *Pedoman Teknik Pemeriksaan Laboratorium Klinik* (1st ed.). CV. Trans Info Media.
- Risikesdas. (2018). Laporan Nasional Riset Kesehatan Dasar. In *Kementerian Kesehatan RI*.
- Samodro, P., Hernayanti, Gestana, G., dkk. (2016). Kadar C-Reactive Protein dan Laju Filtrasi Glomerulus Pasien Diabetes Melitus Tipe 2 Obesitas di RSUD Margono Soekarjo Purwokerto. *Jurnal Nutrisia*, 18(2), 93–98.
- Shanmugapriya, J., Geetha, P., Kumar, V. S., *et al.* (2017). Prospective Study on Role of CRP as an Inflammatory Marker in Type-II Diabetes Mellitus in Tertiary Care Hospital. *International Journal of Pharmaceutical Sciences and Research*, 8(12), 5257–5263.
- Soelistijo, S. A., Novida, H., Rudijanto, A., dkk. (2015). Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia 2015. In *Perkeni*. PB PERKENI.
- Suyono, S., Waspadji, S., Soegondo, S., dkk. (2009). *Penatalaksanaan Diabetes Melitus Terpadu* (S. Soegondo, P. Soewondo, & I. Subekti (eds.); 2nd ed.). Balai Penerbit FKUI.
- Tandra, H. (2017). *Segala Sesuatu yang Harus Anda Ketahui Tentang Diabetes* (2nd ed.). PT Gramedia Pustaka Utama.

- Thakur, S., Gupta, S., Parchwani, H., *et al.* (2011). Hs-CRP-A Potential Marker for Coronary Heart Disease. *Indian Journal of Fundamental and Applied Life Sciences*, 1(1), 1–4.
- Timar, R., Timar, B., Degeratu, D., *et al.* (2014). Metabolic Syndrome, Adiponectin and Proinflammatory Status in Patients with Type 1 Diabetes Mellitus. *Journal of International Medical Research*, 42(5), 1131–1138.
- Yerizel, E., Hendra, P., Edward, Z., dkk. (2015). Pengaruh Hiperglikemia Terhadap High Sensitive C Reactive Protein (Hs-CRP) pada Penderita Diabetes Melitus Tipe 2. *Prosiding Seminar Ilmiah PBBMI*, 51–55.