

Risk Management of Occupational Safety and Health (K3) Against B3 Medical Waste Management at the Regional Hospital of Kotabumi North Lampung Regency, Indonesia

by Sri Indra
Trigunarso

Submission date: 14-Dec-2021 08:21AM (UTC+0700)

Submission ID: 1729711145

File name: 797-3192-1-PB.pdf (570.94K)

Word count: 3262

Character count: 18289

Risk Management of
Occupational Safety and
Health (K3) Against B3
Medical Waste Management
at the Regional Hospital of
Kota Bumi North Lampung
Regency, Indonesia

by Sri Indri
Fidrianti

Submission date: 14 Dec 2023 08:24 (UTC+07:00)

Submission ID: 12821145

File name: 2023-12-14-08:24:24

Word count: 225

Character count: 10289



Risk Management of Occupational Safety and Health (K3) Against B3 Medical Waste Management at the Regional Hospital of Kotabumi North Lampung Regency, Indonesia

Sri Indra Trigunarsro

Politeknik Kesehatan Kemenkes Tanjungkarang

ARTICLE INFO

Article history:

Received 11 June 2021
Accepted 21 October 2021
Published 10 December 2021

Keyword:

Risk analysis
K3RS
Medical waste

**) corresponding author*

Sri Indra Trigunarsro
Politeknik Kesehatan Kemenkes
Tanjungkarang
Email: trigunarsosriindra@gmail.com

DOI: 10.30604/jjika.v6i4.797

ABSTRACT

The implementation of Occupational Health and Safety is an endeavor to provide a safe, healthy, and pollution-free work environment in order to decrease or eliminate work accidents and occupational diseases, which can boost efficiency and production (sustainable, 2014). The level of occupational safety and health risk that waste management officers face from tasks such as selection, freight, and storage. This is a qualitative sort of research that uses the process of in-depth understanding of a topic by looking at it for generalization research (Drs. Sumanto, M.A., 1995). B3 medical waste management officers at regional hospitals face a high level of workplace safety and health risks, according to the researcher. The risk assessment is made up of the following items based on the results of the hazard identification: selection of hospital medical waste with the greatest risk of being exposed to sharp items, with a value/score of (16) indicating a high risk Muscle and bone injuries are the highest risk in hospital medical waste freight, with a score of (12) with High Risk, and bad smell is the highest risk in unwell medical waste storage, with a score of (15) with High Risk. Risk Analysis: Selection of Hospital Medical Waste from each waste-producing room (Exposed to sharp items) and Hazardous Waste Storage are two risk statements and the statement with the highest cause in Risk Analysis (Respiratory Disorders). Evaluation of the effect of the Highest Opportunity Risk (Likelihood) x Impact (Consequence) on waste storage (bad smell) and hospital medical waste selection from each waste generating room (Exposed to Sharp Objects). Suggestions for research; adequately supervise so that things don't happen that could be really hazardous (very high). Hospitals can issue a warning or sanctions to officers who manage solid medical waste improperly.

This open access article is under the CC-BY-SA license.



INTRODUCTION

Occupational Health and Safety (K3) is an endeavor to establish a work environment that is safe, healthy, and free of environmental pollutants in order to decrease or eliminate work accidents and occupational diseases, which can boost efficiency and production (sustainable, 2014).

Hospitals can be hazardous to patients and their caregivers, including doctors, nurses, technicians, and those involved in hospital management and patient care (Kusnoputranto, 2009). Apart from infectious diseases, there are additional possible hazards in hospitals, such as accidents (explosions, fires, electrical-related mishaps, and other sources of injury), radiation, chemically toxic compounds, anesthetic gases, psychosocial and ergonomic

disturbances. All of the potential hazards listed above plainly endanger the lives of hospital officers, patients, and visitors (Ministry Department, 2000).

Depending on the type of hospital waste, several microorganisms may be present. Hospital waste can damage the environment and cause health problems for those who live near the hospital. Because hospital trash might contain bacteria that cause diseases in humans, such as typhoid fever, cholera, dysentery, and hepatitis, it must be treated before being released into the environment.

Based on this explanation, it is clear that risk analysis efforts for medical waste officers are required in order to limit or eliminate the risk of workplace accidents. As a result, the goal of Hospital Occupational Health and Safety is to protect medical waste management officers at hospitals. At

Major General HM Ryacudu Hospital of Kotabumi district is a case of punctured by sharp item trash, especially needles, according to information from medical waste management officers and cases related to solid medical waste management. This happened in 2019 when the inpatient room's medical waste plastic was taken by the solid medical waste management officer. There are also certain issues with the waste management system, such as the presence of mixed waste ranging from medical to non-medical waste, which can put medical waste management officers in danger (Saftarina, et al., 2015).

METHOD

This is a type of qualitative research with a method that emphasizes the aspect of in-depth understanding of a problem from a generalization research perspective (Drs. Sumanto, MA, 1995). Medical waste management officers face a high level of occupational safety and health risks, according to researchers at the General Hospital in HM Ryacudu of South Kotabumi.

Sampling was carried out using consecutive sampling, which is a sampling technique by selecting a sample among the population according to the inclusion criteria required by

the researcher, namely 387 respondents. The data was collected online for one month using the Google Forms application while adhering to ethical norms such as protecting the anonymity of respondents' names, not injuring them, and not forcing them to become responders after giving informed consent. The information gathered is organized into a data matrix. Univariate analysis was used to describe the demographic features of the respondents such as parity, age, husband's support, and expertise. Bivariate analysis was carried out with the Chi Square (X²) statistical test with a significance level ($\alpha < 0.05$) to determine the correlation between each independent variable and the dependent variable.

RESULT AND DISCUSSION

Based on research that has been carried out at the Regional General Hospital of Mayjend HM Ryacudu of Kotabumi, researchers carried out hazard identification, risk assessment, risk analysis, risk evaluation, and risk control against the hazards of B3 medical waste management officers on April 2021. The process of handling B3 medical waste as following:

Table 1
Early Identification of Potential Hazards in Medical Waste Management Officers

No	Potential Hazard	Location	Most at risk officers	The most risk stage of Waste Management	Consequences of the risks that arise
1	PHYSICAL Slippery floor	Hallway, Room, Hazardous Waste Storage Room	Medical Waste Management officers	Freight Waste Storage	Slip
2	CHEMICAL Disinfectant	Every room	Medical Waste Management Officers	Storage selection	Exposure to chemical liquids
	Cytotoxics	Pharmacy Room, Hazardous Waste Storage Area	Medical Waste Management Officers	Storage selection	Exposed to Chemical Liquids and Bad Smell
3	BIOLOGY Virus	Emergency Room, Operating Room, Laboratory, Laboratory, Hazardous Waste Storage, Patient Room	Medical Waste Management Officers	Storage selection	Contagion of disease
	Insect	Isolation Room, Patient Room	Medical Waste Management Officers	Freight selection	Insect disease
4	MECHANICAL Needled	Every room	Medical Waste Management Officers	Freight storage selection	Hit by sharp objects
5	ERGONOMICS Lifting heavy weights	Every room	Medical Waste Management Officers	Freight	Muscle and bone injuries (musculoskeletal disorders)

Table 1 can be explained that there are 5 (five) Potential Hazards for B3 Medical Waste Management Officers, namely: 1) Physical, namely with potential hazards, namely slippery floors which pose a risk to medical waste management officers at the transportation and storage stages. B3 which may pose a risk of slipping or falling. 2) Chemicals, with potential hazards, namely, Disinfectants, which pose a risk to

medical waste management officers at the selection and container stages who may be at risk of exposure to chemical liquids, Cytotoxics, which pose a risk to medical waste management officers at the storage and selection stages who may be at risk of exposure to chemical liquids and inhaling bad smell. 3) Biology, with potential hazards, namely, Viruses, which pose a risk to medical waste management

officers at the selection and storage stage which can be at medical waste management officers at the stage of risk of contracting disease. 4) Mechanical, with a potential transportaion which can be at risk Muscle and bone injuries hazard, namely, needle sticks that pose a risk to medical J musculo s Iru l zZW rr s. So it can be concluded that of the waste management officers at the stage of selecting, 5 (five) potential hazards that have the greatest risk to transporting, and storing waste that can be at risk of being medical waste management officers are at the Selection, exposed to sharp objects. S) Ergonomics, with potential Freight, and Storage stages. hazards namely, lifting heavy loads that pose a risk to

Table 2
Ifazazd Idk&ad8cattoetMedtcalWaste setecooa at BeStooat c+aaat I4oaptal at6oczbuatt

1	Punctured / cut medical waste Officers (syringes, broken laboratory equipment)		1. The volume of waste in the container is excessive, so there is some medical waste that appears / looks ouMard 2. Untrained 3. In a hurry 4. Not beirg careful when selecting medical waste Not using PPE (hand protection)
2	Exposure tochemical liquids	Environmen t, Worker	1. Perforated plastic parts 2. Not Usirg PPE
3	Diseases caused by insects (typhoid, diarrhea, cholera)	Worker	insects present in the waste when selecting waste
4	DiseaseContagion	Worker	infectious disease viruses contained in B3 Medical Waste

Table 2 can be explained that there are 4 (four) sources of (protective hand s). 2) Exposed to chemical liquids caused by danger in the medical waste collection process, namely: 1) perforated/damaged plastic para, and not using PPE. 3) fleing puncuiredJcut&ng medical waste (syringes, broken Oiseases caused by insects (typhoid, diarrhea, cholera) which laboratory equipment) there are 5 causes, namely: Excessive can be caused by insects in non-medical waste. 4) Contagion volume of waste in the conainer, so that some medical of diseases that can be caused by infectious disease viruses waste appears/looks ouMard, Untrained, Hasty, not careful contained in B2 Medical Waste. be careful when collecting medical waste, do not use PPE

1	Hospital Medical Waste Ptefgbf		
1	exposed to sharp objects	Freight officers	- Do not use PPE - Not being careful when freighting
2	Slip or fall	Freight officers	• Does not have a special path for transporting medical waste - NoE being careful with the transport officer at work
3	Musrle and bone injuries (musculas&eletal dicardersl	Freight officers	Less careful when transpomng Lack of training when transpomng waste
4	Diseases caused by insects (typhoid, diarrhea, cholera)	Freight officers	There are a lot of insects in non-rrtedical waste when it hurM to transport

Table 2 can be explained that there are 4(four) sources of and bones / mozzwJbx&e/eta/e/z/ezs, the causes of which are danger in the process of transporting medical wane, namely: due to lack of care when rransporring and lack of exercise 1) Being exposed co sharp object, che causes that arise are, when transporting wasre. 4) Diseases caused by insects not using PPE and being less careful when freighting. 2) (typhoid, diarrhea, cholera), the causes of which are caused Slipping during freight, the causes that arise ae, nor having a by die large number of insects fotind in non-medical waste special route for transporting medical waste and being less when injuring transportation. careful when freighting officers work. 2) Injuty to muscles

Table 4

1.	Bad smell	Officer at medical waste storage	The smell from bottlesof used drugs or chemical substances and the reaction of residual gases from chemicals from the lab.
	Slip or fall	Officer at medical waste storage	- Floor otstorage area is slippery or uneven - Not being careful
3.	Exposed to sharp objects	Officer at medical waste storage	Spilled medical waste that is not properly packaged or broken plastic
d	DiseaseContagion	Officer at Medical Waste Storage	Infectious disease viruses contained in B3 Medical Waste

Based on table 4 can be explained that there are 4 (four) sources of danger contained in the process of transporting medical waste, namely: 1) Bad odor caused by smells from bottles of used drugs or chemical substances and reactions residual gases from chemicals from the lab. 2) Slips caused

by slippery or uneven storage floor and lack of care. 3) exposed to sharp objects, scattered medical waste that is not packaged properly or damaged plastic. 4) Contagion of diseases that can be caused by infectious disease viruses contained in B3 Medical Waste.

Table 5
Risk Table and Explanation

NO	RISK/EFFECT	EXPLANATION
1	SELECTION	
	exposed to sharp objects	At this stage of the election being exposed to sharp objects has the possibility of happening at one time to the officer (Likely) Consequences of being hit by sharp objects, namely, serious accidents, loss of operating/production capabilities, high material losses (Major)
	Exposure to Chemical Liquid	At this stage of selection exposed to chemical liquids Rarely occurs in officers (Rare) Consequences of being exposed to chemical liquids, namely, medical treatment, and also quite high material losses (Moderate)
	Diseases caused by insects (typhoid, diarrhea, cholera)	At this selection stage Diseases caused by insects (typhoid, diarrhea, cholera) tend to occur at one time in the officers (Unlikely) Consequences of Insect Diseases (Typhoid, Diarrhea, Cholera) i.e. initial accident assistance, medium material loss (Minor)
	Disease Contagion	At this selection stage, contracting the disease should occur at some point in the officer (Possible) Consequences of contracting the disease, namely, required medical treatment, material losses are quite high (Moderate)
2	FREIGHT	
	Fall or slip	At the stage of transportation, falls or slips are rare for officers (Rare) Consequences of falling or slipping, namely, required medical treatment, material losses are quite high (Moderate)
	Diseases caused by insects (typhoid, diarrhea, cholera)	At this stage of transportation Diseases caused by insects (typhoid, diarrhea, cholera) tend to occur at one time in the officer (Unlikely) Consequences of Insect Diseases (Typhoid, Diarrhea, Cholera) i.e. initial accident assistance, medium material loss (Minor)
	Muscle and bone injuries / musculoskeletal disorders	At this stage of transport Injury to muscles and bones / musculoskeletal disorders Likely to occur in all situations in officers (Likely) Consequences of muscle and bone injury / musculoskeletal disorders i.e., required medical treatment, material loss is quite high (Moderate)
	Exposed to sharp objects	At this stage of transportation being exposed to sharp objects tends to occur at one time (unlikely). Consequences of being hit by sharp objects, namely, serious accidents, loss of operating/production capabilities, high (major) material losses
3	STORAGE	
	Bad Smell	At this stage of storage an unpleasant odor should occur at some point (Possible) Consequences of unpleasant odors, namely, radiation hazard with wide-spread effects, very large losses.(Extrime)
	Exposed to sharp objects	At this stage of storage, exposure to sharp objects should have occurred at some time (Possible) Consequences of being hit by sharp objects, namely, serious accidents, loss of operating/production capabilities, high material losses (Major)
	Fall or Slip	At the storage stage, falls or slips are rare for officers (Rare) Consequences of falling or slipping, namely, required medical treatment, material losses are quite high (Moderate)
	Disease contagion	At this stage of storage, contracting the disease should occur at some point in the officer (Possible) Consequences of contracting the disease, namely, required medical treatment, material losses are quite high (Moderate)

Qualitative Risk Analysis, qualitative analysis in risk management is the process of assessing the impact and likelihood of the identified risks. This process is carried out by compiling risks based on their effects on project objectives. The measurement scale used in the qualitative

analysis is the Australian Standard/New Zealand Standard (AS/NZS).

It can be concluded that the process/stage of transporting medical waste has the highest value, namely muscle and bone injury with a value of (12) High, while at the risk of being punctured by medical waste (syringes) with a value of

(8) Medium, then on the risk of disease due to insects with a value of (4) Low, and the lowest is in falling and slipping with a value of (3) Low.

LIMITATION OF THE STUDY

In this research there are many other factors that need to be investigated further.

CONCLUSION AND RECOMMENDATIONS

For the Head of the occupational safety and health risk management K3RS Installation to carry out good and routine supervision of the medical waste management system from the storage, collection, transportation, and storage stages so that things do not happen that can pose a very high risk (Very High). routine checks on officers, if there are officers who handle medical waste who do not use complete Personal Protective Equipment (PPE) when handling B3 medical waste, a warning and sanctions are given so that the officer behaves well in handling solid medical waste. For nurses or other officers, it is better to be able to separate B3 medical waste and non-medical waste so that there is no mixing of medical and non-medical waste in the room by providing Safety Boxes in each room so that officers avoid accidents due to sharp objects.

ETHICAL CONSIDERATIONS

Funding Statement.

The author declares that no funding was received in connection with this research.

Conflict of Interest statement

The author declares that there is no conflict of interest related to this research and that there are no ethical issues arising from this research.

REFERENCES

- Alatas, M. 2013. Gambaran perilaku Perawat Dalam Membuang Limbah Medis dan Non Medis Di Rumah Sakit Umum Daerah Kabupaten Aceh Tamiang Tahun 2013. *Jurnal Kebijakan, Promosi Kesehatan dan Biostatistik*, 2(1).
- American Society for Health Care Risk Management, Risk Management Handbook, 2004
- Blenkharn, J. I. 2006. Lowering standards of clinical waste management: Do the hazardous waste regulations conflict with the CDC's universal/standard precautions. *Journal of Hospital Infection*, 62(4), pp. 467-472. doi: 10.1016/j.jhin.2005.09.024.
- Golder Associates (NZ) Ltd. (2002). *Risk Assessment for Small Closed Landfills*, Waste Mangement Institute New Zeland.
- Glenn W. Suter II; Rebecca A. Efromson; Bradley E. Sample; Daniel S. Jones. (2000). *Ecological Risk Assessment for Contaminated Sites*, LEWIS PUBLISHERS, Washington, D.C

Idris, Y.Z. (2003). *Analisa Resiko Limbah Industri Tapioka di Sungai Tulang Bawang*. Program Pascasarjana, Program Studi Magister Teknik Lingkungan ITS, Surabaya.

Kasam, *Program Studi Teknik Lingkungan FTSP Universitas Islam Indonesia Yogyakarta*; Analisis Resiko Lingkungan pada Tempat Pembuangan Akhir (TPA) Sampah (Studi Kasus: TPA Piyungan Bantul); *Jurnal Sains dan Teknologi Lingkungan* Volume 3, Nomor 1, Januari 2011, Halaman 019-030, ISSN: 2085-1227

Kementerian Kesehatan RI: Peraturan Menteri Kesehatan RI Nomor 66 tahun 2016, tentang Keselamatan dan Kesehatan Kerja Rumah Sakit

Kementerian Kesehatan RI: Peraturan Menteri Kesehatan RI Nomor 07 tahun 2019, tentang Persyaratan Kesehatan Lingkungan Rumah Sakit

Rizif, M. (2002). *Analisis Resiko Lingkungan*. Jurusan Teknik Lingkungan, Fakultas Teknik Sipil dan Perencanaan ITS, Surabaya.

Risk Management Guidelines AS/NZS 4360.2004

Susan Dempsey, MS. (2007). *Environmental Risk Assessment*, Department of Health & Human services, Centennial Mall South, Nebraska 68509.

SEPA. (2002). *The Geological Barrier, Mineral Layer and the Leachate Sealing and Drainage System, Framework for Risk Assessment for Landfill Sites*.

Risk Management of Occupational Safety and Health (K3) Against B3 Medical Waste Management at the Regional Hospital of Kotabumi North Lampung Regency, Indonesia

ORIGINALITY REPORT

14%

SIMILARITY
INDEX

12%

INTERNET
SOURCES

12%

PUBLICATIO
NS

9%

STUDENT PAPERS

PRIMARY SOURCES

1	media.neliti.com Internet Source	4%
2	www.researchgate.net Internet Source	2%
3	aisyah.journalpress.id Internet Source	2%
4	Submitted to Universitas Negeri Jakarta Student Paper	1%
5	Submitted to Universitas Jember Student Paper	1%
6	jurnal.pancabudi.ac.id Internet Source	1%
7	www.pdspatklin.or.id Internet Source	1%
8	Dina Rasmita. "Activities and Nurses' Role in Empowering Parents on Treating Children	1

Risk Management of Occupational Safety and Health (K3) Against B3 Medical Waste Management at the Regional Hospital of Kotabumi North Lampung Regency, Indonesia

Priority subject

14%
SIMILARITY INDEX

12%
INTERNET SOURCES

12%
PUBLICATIONS

9%
STUDENT PAPERS

HEALTHY WORK

media.neliti.com



www.researchgate.net



discovery.com.au



www.scribd.com



Submitted to Librarians Journal



www.ppt4all.com



www.pptbakin.com



Dina Pramita "Activities and Nurses' Role in Empowering Parents on Treating Children"



4%

2%

2%

1%

1%

1%

1%

1%

with Cancer", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2021

Publication

-
- 9** Rindang Diannita, Indasah Indasah, Sandu Siyoto. "Analysis of Work Accidents Based on K3 Knowledge and Work Behavior at Muhammadiyah Hospital in Ponorogo", Journal for Quality in Public Health, 2020 **1**
Publication
-
- 10** Submitted to Universitas Indonesia **1%**
Student Paper
-
- 11** Y Yuliwati, Siti Maisaroh, Rd Deden Gumilar Nugraha. "Determinants of the Use Long- Term Contraception Method In Banten Province: Secondary Data Analysis of Survey Kinerja Akuntabilitas Program (SKAP) BKKBN in 2019", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2021 **1**
Publication
-

Exclude quotes



Exclude bibliography



Exclude matches

< 1%

