

DAFTAR PUSTAKA

- Belouzard, S., Millet, J. K., Licitra, B. N., & Whittaker, G. R. (2012). Mechanisms of coronavirus cell entry mediated by the viral spike protein. *Viruses*, 4(6), 1011-1033.
- Bertolin, A. J., Dalçóquio, T. F., Salsoso, R., de M Furtado, R. H., Kalil-Filho, R., Hajjar, L. A., & Nicolau, J. C. (2021). Platelet reactivity and coagulation markers in patients with COVID-19. *Advances in therapy*, 38(7), 3911-3923.
- Chen, Y., Guo, Y., Pan, Y., & Zhao, Z. J. (2020). Structure analysis of the receptor binding of 2019-nCoV. *Biochemical and biophysical research communications*, 525(1), 135-140.
- Connors, J. M., & Levy, J. H. (2020). COVID-19 and its implications for thrombosis and anticoagulation. *Blood*, 135(23), 2033-2040.
- Dahlan, M, 2012. Statistik Untuk Kedokteran dan Kesehatan, Salemba Medika, Jakarta.
- Del Carpio-Orantes, L., García-Méndez, S., & Hernández-Hernández, S. N. (2020). Neutrophil-to-lymphocyte ratio, platelet-to-lymphocyte ratio and systemic immune-inflammation index in patients with COVID-19-associated pneumonia. *Gaceta medica de Mexico*, 156(6), 527-531.
- Dietz L, Horve PF, Coil DA, Fretz M, Eisen JA, Van Den Wymelenberg K. 2020. *2019 novel coronavirus (COVID-19) pandemic: built environment considerations to reduce transmission*. mSystems 5:e00245-20.
- Dinas Kesehatan Kota Bandar Lampung, 2022. Tersedia (<https://covid19.bandarlampungkota.go.id>) [08 Januari 2022].
- Dinas Kesehatan Provinsi Lampung, 2022. Website Informasi Covid-19 Pemerintah Provinsi Lampung. Tersedia (<https://covid19.lampungprov.go.id>) [08 Januari 2022].
- Fu, J., Kong, J., Wang, W., Wu, M., Yao, L., Wang, Z., et al. (2020). The clinical implication of dynamic neutrophil to lymphocyte ratio and D-dimer in COVID-19: A retrospective study in Suzhou China. *Thrombosis research*, 192, 3-8.
- Gorbalenya, A. E., Baker, S. C., Baric, R., Groot, R. J. D., Drosten, C., Gulyaeva, A. A., et al. (2020). Severe acute respiratory syndrome-related coronavirus: The species and its viruses—a statement of the Coronavirus Study Group.
- Guo, Y. R., Cao, Q. D., Hong, Z. S., Tan, Y. Y., Chen, S. D., Jin, H. J., et al. (2020). The origin, transmission and clinical therapies on coronavirus disease 2019 (COVID-19) outbreak—an update on the status. *Military Medical Research*, 7(1), 1-10.

- Han, Y., & Yang, H. (2020). The transmission and diagnosis of 2019 novel coronavirus infection disease (COVID-19): a Chinese perspective. *Journal of medical virology*, 92(6), 639-644.
- Hu, B., Huang, S., & Yin, L. (2021). The cytokine storm and COVID-19. *Journal of medical virology*, 93(1), 250-256.
- Joly, B. S., Siguret, V., & Veyradier, A. (2020). Understanding pathophysiology of hemostasis disorders in critically ill patients with COVID-19. *Intensive care medicine*, 46(8), 1603-1606.
- Kementerian Dalam Negeri, 2020. *Pedoman Umum Menghadapi Pandemi COVID-19 Bagi Pemerintah Daerah Tahun 2020*, Jakarta.
- Kementerian Kesehatan Republik Indonesia , 2021. Infeksi Emerging. Tersedia (<https://covid19.kemkes.go.id/dashboard/covid-19>) [22 Desember 2021].
- Kementerian Kesehatan Republik Indonesia , 2021. Laporan Mingguan Penanganan Pandemi. Tersedia (<https://covid19.kemkes.go.id/dashboard/covid-19>) [08 Januari 2022].
- Kementerian Kesehatan Republik Indonesia., 2020. Info Infeksi Emerging Kementerian Kesehatan RI [Internet]. Jakarta, ID: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan RI, 2020. Keputusan Menteri Kesehatan No: HK.01.07-MENKES-413-2020 tentang *Pedoman Pencegahan dan Pengendalian COVID-19 Tahun 2020*, Jakarta.
- Lagunas-Rangel, F. A. (2020). Neutrophil-to-lymphocyte ratio and lymphocyte-to-C-reactive protein ratio in patients with severe coronavirus disease 2019 (COVID-19): a meta-analysis. *Journal of medical virology*.
- Levi, M., Thachil, J., Iba, T., & Levy, J. H. (2020). Coagulation abnormalities and thrombosis in patients with COVID-19. *The Lancet Haematology*, 7(6), e438-e440.
- Li, F. (2016). Structure, function, and evolution of coronavirus spike proteins. *Annual review of virology*, 3, 237-261.
- Lippi, G., & Plebani, M. (2020). The critical role of laboratory medicine during coronavirus disease 2019 (COVID-19) and other viral outbreaks. *Clinical Chemistry and Laboratory Medicine (CCLM)*, 58(7), 1063-1069.
- Liu, J., Liu, Y., Xiang, P., Pu, L., Xiong, H., Li, C., et al. (2020). Neutrophil-to-lymphocyte ratio predicts severe illness patients with 2019 novel coronavirus in the early stage. *MedRxiv*.
- Liu, Y., Du, X., Chen, J., Jin, Y., Peng, L., Wang, H. H., et al. (2020). Neutrophil-to-lymphocyte ratio as an independent risk factor for mortality in hospitalized patients with COVID-19. *Journal of Infection*, 81(1), e6-e12.

- Ma, A., Cheng, J., Yang, J., Dong, M., Liao, X., & Kang, Y. (2020). Neutrophil-to-lymphocyte ratio as a predictive biomarker for moderate-severe ARDS in severe COVID-19 patients. *Critical care*, 24(1), 1-4.
- Mardewi, I. G. A., & Yustiani, N. T. (2021). Gambaran hasil laboratorium pasien COVID-19 di RSUD Bali Mandara: sebuah studi pendahuluan. *Intisari Sains Medis*, 12(1), 374-378.
- McBride, R., Van Zyl, M., & Fielding, B. C. (2014). The coronavirus nucleocapsid is a multifunctional protein. *Viruses*, 6(8), 2991-3018.
- Medline Plus (2021) *D-Dimer Test*, National Library of Medicine. Available at: <https://medlineplus.gov/lab-tests/d-dimer-test/> (Accessed: 31 Mei 2022).
- Neuman, B. W., Kiss, G., Kunding, A. H., Bhella, D., Baksh, M. F., Connelly, S., et al. (2011). A structural analysis of M protein in coronavirus assembly and morphology. *Journal of structural biology*, 174(1), 11-22.
- Nugraha, G 2015, Panduan Pemeriksaan Laboratorium Hematologi Dasar, CV. Trans Info Media, Jakarta.
- Ozen, M., Yilmaz, A., Cakmak, V., Beyoglu, R., Oskay, A., Seyit, M., & Senol, H. (2021). D-Dimer as a potential biomarker for disease severity in COVID-19. *The American Journal of Emergency Medicine*, 40, 55-59.
- Persatuan Dokter Paru Indonesia , 2020. *Jurnal Respirologi Indonesia Tahun 2020*, Jakarta.
- Qi, F., Qian, S., Zhang, S., & Zhang, Z. (2020). Single cell RNA sequencing of 13 human tissues identify cell types and receptors of human coronaviruses. *Biochemical and biophysical research communications*, 526(1), 135-140.
- Qin, C., Zhou, L., Hu, Z., Zhang, S., Yang, S., Tao, Y., et al. (2020). Dysregulation of immune response in patients with coronavirus 2019 (COVID-19) in Wuhan, China. *Clinical infectious diseases*, 71(15), 762-768.
- Rotty, L., Kurube, J., Harijanto, P. N., Wantania, F., Haroen, H., Hendratta, C & Adiwinata, R. (2022). The Correlation between Neutrophil-to-Lymphocyte Ratio with C-reactive Protein and D-dimer Level among Indonesian COVID-19 Cases. Open Access Macedonian Journal of Medical Sciences, 10(B), 335-338.
- Sayed, A. A., Allam, A. A., Sayed, A. I., Alraey, M. A., & Joseph, M. V. (2021). The use of neutrophil-to-lymphocyte ratio (NLR) as a marker for COVID-19 infection in Saudi Arabia: A case-control retrospective multicenter study. *Saudi Medical Journal*, 42(4), 370.
- Schoeman, D., & Fielding, B. C. (2019). Coronavirus envelope protein: current knowledge. *Virology journal*, 16(1), 1-22.

Susilo, A., Rumende, C. M., Pitoyo, C. W., Santoso, W. D., Yulianti, M., Herikurniawan, H., *et al.* (2020). Coronavirus disease 2019: Tinjauan literatur terkini. *Jurnal Penyakit Dalam Indonesia*, 7(1), 45-67.

Universitas Muhammadiyah Semarang, 2022. Tersedia (<https://jurnal.unismus.ac.id>) [16 Januari 2022].

Weitz, J. I., Fredenburgh, J. C., & Eikelboom, J. W. (2017). A test in context: D-dimer. *Journal of the American College of Cardiology*, 70(19), 2411-2420.

WHO (2020b) *Naming the coronavirus disease (COVID-19) and the virus that causes it*. Available at: [https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-\(covid-2019\)-and-the-virus-that-causes-it](https://www.who.int/emergencies/diseases/novel-coronavirus-2019/technical-guidance/naming-the-coronavirus-disease-(covid-2019)-and-the-virus-that-causes-it) (Accessed: 12 December 2021).

World Health Organization, 2022. WHO Corononavirus (COVID-19) Dashboard. Available at:<http://www.who.int/indonesia> [Accessed Januari 08, 2022].

World Health Organization. 2020. Tes Diagnostik untuk SARS-CoV-2.

World Health Organization. 2020. Coronavirus disease (COVID-19) situation dashboard [Internet]. Geneva, CH: World Health Organization.

World Health Organization. 2020. Saran penggunaan tes imunodiagnostik di fasylankes (*point of care*) untuk COVID-19.

World Health Organization. 2020. Transmisi SARS-CoV-2: implikasi terhadap kewaspadaan pencegahan infeksi.

Yan, X., Li, F., Wang, X., Yan, J., Zhu, F., Tang, S., *et al.* (2020). Neutrophil to lymphocyte ratio as prognostic and predictive factor in patients with coronavirus disease 2019: a retrospective cross-sectional study. *Journal of medical virology*, 92(11), 2573-2581.

Yang, A. P., Liu, J. P., Tao, W. Q., & Li, H. M. (2020). The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients. *International immunopharmacology*, 84, 106504.

Yao, Y., Cao, J., Wang, Q., Shi, Q., Liu, K., Luo, Z., *et al.* (2020). *D-dimer as a biomarker for disease severity and mortality in COVID-19 patients: a case control study*. *Journal of intensive care*, 8(1), 1-11.

Ye, W., Chen, G., Li, X., Lan, X., Ji, C., Hou, M., *et al.* (2020). Dynamic changes of D-dimer and neutrophil-lymphocyte count ratio as prognostic biomarkers in COVID-19. *Respiratory research*, 21(1), 1-7.

Zhou, F., Yu, T., Du, R., Fan, G., Liu, Y., Liu, Z., *et al.* (2020). Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. *The lancet*, 395(10229), 1054-1062.

Zhu, N., Zhang, D., Wang, W., Li, X., Yang, B., Song, J., *et al.* (2020). A novel coronavirus from patients with pneumonia in China, 2019. *New England journal of medicine*.

Zhu, S., Dong, L., & Cai, W. (2020). Predictive value of neutrophil to lymphocyte and platelet to lymphocyte ratio in COVID-19. *Critical Care*, 24(1), 1-2.