

**POLITEKNIK KESEHATAN TANJUNGPUR
JURUSAN KEPERAWATAN TANJUNGPUR
PRODI DIII KEPERAWATAN TANJUNGPUR**

Karya Tulis Ilmiah, Tahun 2023
Merti Adelia

**ASUHAN KEPERAWATAN GANGGUAN KEBUTUHAN RASA AMAN
DAN NYAMAN NYERI PADA PASIEN PASCA TONSILEKTOMI DI
RUANGAN MAWAR RS DENKESYAH LAMPUNG TAHUN 2023**

xii + 53 Halaman + 12 Tabel + 1 Gambar + 3 Lampiran

ABSTRAK

World health organization (WHO) memperkirakan 287.000 anak di bawah 15 tahun mengalami tonsilektomi 248.000 anak (86,4%) mengalami tonsiloadenoidektomi dan 39.000 lainnya (13,6%) menjalani tonsilektomi saja , berdasarkan dari departemen kesehatan RI, angka kejadian penyakit tonsillitis di Indonesia sekitar 23% pada tahun 2013. **Tujuan :** untuk melakukan asuhan keperawatan dimulai dari pengkajian, merumuskan diagnosa keperawatan, melakukan intervensi keperawatan, melakukan implementasi keperawatan dan melakukan evaluasi keperawatan pada pasien pasca Tonsilektomi Dalam Pemenuhan Kebutuhan Kenyamanan Di Ruang Mawar Rumah Sakit Denkesyah Lampung. **Metode :** Metode yang yang digunakan yaitu metode pengukuran skala nyeri dengan numeric rating scale, durasi nyeri, dan faktor apa saja yang meringankan nyeri terfokus nyeri akut dengan keluhan verbalisasi nyeri, gelisah ,dan berlangsung kurang dari 3 bulan. **Hasil :** Tn.J dan Tn.R mengatakan nyeri di tenggorokan,sulit menelan, skala nyeri 6 dan 7, klien mengeluh tidak nyaman, Diagnosa keperawatan yang ditegakkan pada kasus Tn.J dan Tn.R dengan tonsilitis terfokus pada nyeri akut berhubungan dengan agen pencedera fisik, intervensi yang ditegakkan berdasarkan diagnosa keperawatan tersebut adalah manajemen nyeri dan perawatan kenyamanan, implementasi dilakukan selama 3 hari terfokus pada tindakan pengurangan rasa nyeri yaitu pemberian analgesik ,perawatan luka, dan dihari ketiga nyeri teratasi. **Kesimpulan :** dari kedua subjek asuhan didapatkan hasil nyeri yang dirasakan pada kedua pasien sama-sama mengeluhkan sensasi seperti tersayat benda tajam, nampak gelisah , namun terdapat perbedaan dalam penilaian skala nyeri dan mekanisme koping yang digunakan dalam merespon nyteri, melalui respon emosional dimana setiap subjek memiliki persepsi terkait skala nyeri yang berbeda dimana faktor umur menjadi salah satu kondisi yang mempengaruhi respon individu.

Kata kunci : Tonsilitis, gangguan rasa aman dan nyaman.
Daftar referensi : 18 (2013-2022)

**TANJUNGPURING HEALTH POLYTECHNIC
TANJUNGPURING DEPARTMENT OF NURSING
TANJUNGPURING DIII NURSING PROGRAM**

Scientific Writing, Year 2023

Merti Adelia

***NURSING CARE OF DISTURBED NEEDS OF SAFETY AND PAIN
COMFORT IN POST TONSILLECTOMY PATIENTS IN MAWAR
ROOM OF DENKESYAH HOSPITAL, LAMPUNG IN 2023***

xii + 53 Pages + 12 Tables + 1 Figure + 3 Attachments

ABSTRAK

The World Health Organization (WHO) estimates that 287,000 children under 15 years will undergo tonsillectomy, 248,000 children (86.4%) will undergo tonsiloadenoidectomy and 39,000 others (13.6%) will undergo tonsillectomy alone, based on the Indonesian Ministry of Health, the incidence of tonsillitis in Indonesia around 23% in 2013. Purpose: to carry out nursing care starting from assessment, formulating nursing diagnoses, carrying out nursing interventions, carrying out nursing implementations and conducting nursing evaluations in post-tonsillectomy patients in fulfilling comfort needs in the Rose Room Denkesyah Hospital Lampung. Method: The method used is a pain scale measurement method with a numerical rating scale, pain duration, and any factors that relieve pain focused on acute pain with complaints of verbalization of pain, anxiety, and lasts less than 3 months. Results: Mr.J and Mr.R said pain in the throat, difficulty swallowing, pain scale 6 and 7, the client complained of discomfort, The nursing diagnosis that was enforced in the case of Mr.J and Mr.R with tonsillitis focused on acute pain related to the agent physical injury, interventions that are enforced based on nursing diagnoses are pain management and comfort care, implementation is carried out for 3 days focused on reducing pain, namely administering analgesics, wound care, and on the third day the pain is resolved. Conclusion: from the two care subjects, the results of pain felt in both patients complained of sensations such as being cut by sharp objects, seemed anxious, but there were differences in the assessment of pain scales and coping mechanisms used in responding to pain, through emotional responses where each subject had perceptions related to different pain scales where the age factor is one of the conditions that influence individual responses.

Keywords : Tonsillitis, impaired sense of security and comfort.

Reference list : 18 (2013-2022)