

**POLITEKNIK KESEHATAN TANJUNGKARANG
JURUSAN KEPERAWATAN
PROGRAM STUDI PROFESI NERS**

**LAPORAN AKHIR PROFESI NERS, Oktober 2021
RORI WILANDA**

Asuhan Keperawatan Perioperatif Pada Pasien G2P2A0 34 Minggu Dengan Ketuban Pecah Dini dengan Tindakan *Sectio Caesarea* di Ruang Operasi RSUD Alimuddin Umar Liwa

halaman, tabel, gambar, dan lampiran

ABSTRAK

Keperawatan perioperatif adalah gabungan yang mencakup tiga fase pengalaman pembedahan, yaitu praoperatif, intra operatif, dan pasca operatif. *Sectio Caesarea* adalah pembedahan untuk melahirkan janin dengan membuka dinding perut dan dinding uterus untuk melahirkan janin dari dalam rahim. (Porwoastuti, 2015). Menurut hasil Riset Kesehatan Dasar tahun 2018, menunjukkan proporsi persalinan di fasilitas kesehatan meningkat dari 66,7% menjadi 79,3% dan peningkatan proporsi pelayanan kunjungan nifas lengkap dari 32,1% menjadi 37%.

Tujuan penelitian ini untuk memberikan gambaran pelaksanaan asuhan keperawatan perioperatif pada pasien G2P2A0 34 Minggu dengan Ketuban Pecah Dini dengan Tindakan *Sectio Caesarea* di RSUD Alimuddin Umar Lampung Barat Tahun 2021. Pengumpulan data di laksanakan di Ruang Operasi RSUD Alimuddin Umar Lampung Barat tanggal 17 Juni 2021.

Subjek asuhan keperawatan ini sebanyak satu orang yang akan dilakukan tindakan *sectio caesarea*. Pengumpulan data yang digunakan oleh penulis yaitu wawancara terstruktur dan *participant observation*. Sumber data yang digunakan yaitu pasien dan stastus rekam medik.

Hasil asuhan keperawatan perioperatif pada pasien G2P2A0 34 Minggu + Ketuban Pecah Dini dengan Tindakan *sectio caesarea* di RSUD Alimuddin Umar Lampung Barat Tahun 2021, pada fase pre operasi tingkat cemas menurun ditandai dengan klien mengatakan sudah merasa lebih tenang, klien mengatakan sudah mengerti tentang prosedur tindakan yang akan dilakukan. Pada fase intra operasi tidak terjadi perdarahan ditandai dengan perdarahan $\pm 300\text{cc}$, CRT 2 detik. Pada fase post operasi dengan termugulasi membaik ditandai dengan klien mengatakan dingin berkurang, suhu tubuh $35,7^{\circ}\text{C}$, suhu ruangan menjadi 24°C , terpasang selimut pada tubuh klien.

Kata Kunci :*Sectio Caesarea*, Perioperatif
Daftar Referensi :20 (2013–2021)

**HEALTH POLYTECHNIC OF TANJUNGKARANG
NURSING MAJOR
ADVANCED NERS PROFESSIONAL**

**FINAL PROFESSIONAL REPORT NERS, AUGUST 2021
RORI WILANDA**

Perioperative Nursing Care for Patients G2P2A0 34 Weeks With Premature Rupture of Membranes with Sectio Caesarea in the Operating Room of Alimuddin Umar Liwa Hospital

pages, tables, picture and attachments

ABSTRACT

Perioperative nursing is a combination that includes three phases of the surgical experience, namely preoperative, intraoperative, and postoperative. Sectio Caesarea is a surgery to give birth to a fetus by opening the abdominal wall and uterine wall to deliver the fetus from inside the uterus. (Porwoastuti, 2015). According to the results of the 2018 Basic Health Research, the proportion of deliveries in health facilities increased from 66.7% to 79.3% and an increase in the proportion of complete postpartum visit services from 32.1% to 37%.

The purpose of this study was to provide an overview of the implementation of perioperative nursing care for patients G2P2A0 34 weeks With premature rupture of membranes with Sectio Caesarea at Alimuddin Umar Hospital, West Lampung in 2021. Data collection was carried out in the Operation Room of Alimuddin Umar Hospital, West Lampung on 17 June 2021.

This Subjects of nursing care is as many as one person who will perform sectio caesarea. The data collection used by the author is structured interviews and participant observation. Sources of data used are patients and medical record status.

The results of perioperative nursing care for patients G2P2A0 34 weeks + premature rupture of membranes with sectio caesaria at Alimuddin Umar Hospital, West Lampung in 2021, in the preoperative phase the level of anxiety decreased marked by the client saying he felt calmer, the client said he understood about the procedure. will be done. In the intraoperative phase, there was no bleeding, indicated by bleeding ±300cc, CRT 2 seconds. In the post-operative phase, with improved regulation, the client said that the cold had decreased, body temperature was 35.7°C, room temperature was 24°C, and a blanket was attached to the client's body.

Keywords : *Sectio Caesarea, Perioperative*
Reference : 20 (2013–2021)