

LAMPIRAN

Frequencies

		Statistics				
		Kejadian Diare	Sarana Pembuangan Tinja Jamban	Sarana Penyediaan Air Bersih	Sarana Pembuangan Sampah Sementara	Sarana Pembuangan Limbah Cair
N	Valid	77	77	77	77	77
	Missing	0	0	0	0	0

Kejadian Diare

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TDK DIARE	48	62,3	62,3	62,3
	DIARE	29	37,7	37,7	100,0
	Total	77	100,0	100,0	

Sarana Pembuangan Tinja Jamban

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	MS	31	40,3	40,3	40,3
	TMS	46	59,7	59,7	100,0
	Total	77	100,0	100,0	

Sarana Penyediaan Air Bersih

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	MS	38	49,4	49,4	49,4
	TMS	39	50,6	50,6	100,0
	Total	77	100,0	100,0	

Sarana Pembuangan Sampah Sementara

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	MS	45	58,4	58,4	58,4
	TMS	32	41,6	41,6	100,0
	Total	77	100,0	100,0	

Sarana Pembuangan Limbah Cair

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	MS	30	39,0	39,0	39,0
	TMS	47	61,0	61,0	100,0
	Total	77	100,0	100,0	

Bootstrap

Bootstrap Specifications

Sampling Method	Simple
Number of Samples	1000
Confidence Interval Level	95,0%
Confidence Interval Type	Percentile

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Sarana Penyediaan Air Bersih * Kejadian Diare	77	100,0%	0	0,0%	77	100,0%

Sarana Penyediaan Air Bersih * Kejadian Diare Crosstabulation

		MS	Count	Kejadian Diare		Total
				TDK DIARE	DIARE	
Sarana Penyediaan Air Bersih			20	18	38	
			% within Sarana Penyediaan Air Bersih	52,6%	47,4%	100,0%
			% within Kejadian Diare	41,7%	62,1%	49,4%
	TMS		28	11	39	
			% within Sarana Penyediaan Air Bersih	71,8%	28,2%	100,0%
			% within Kejadian Diare	58,3%	37,9%	50,6%
Total			48	29	77	
			% within Sarana Penyediaan Air Bersih	62,3%	37,7%	100,0%
			% within Kejadian Diare	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3,011 ^a	1	,083		
Continuity Correction ^b	2,250	1	,134		
Likelihood Ratio	3,033	1	,082		
Fisher's Exact Test				,103	,067
Linear-by-Linear Association	2,971	1	,085		
N of Valid Cases	77				

a. 0 cells (0,0%) have expected count less than 5. The minimum expected count is 14,31.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sarana Penyediaan Air Bersih (MS / TMS)	,437	,170	1,122
For cohort Kejadian Diare = TDK DIARE	,733	,511	1,051
For cohort Kejadian Diare = DIARE	1,679	,919	3,068
N of Valid Cases	77		

Bootstrap for Risk Estimate

	Value	Bias	Std. Error	Bootstrap ^a	
				95% Confidence Interval Lower	Upper
Odds Ratio for Sarana Penyediaan Air Bersih (MS / TMS)	,437	,027	,237	,143	1,076
For cohort Kejadian Diare = TDK DIARE	,733	-,005	,139	,474	1,024
For cohort Kejadian Diare = DIARE	1,679	,166	,653	,954	3,497
N of Valid Cases	77	0	0	77	77

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Sarana Pembuangan Tinja Jamban * Kejadian Diare	77	100,0%	0	0,0%	77	100,0%

Sarana Pembuangan Tinja Jamban * Kejadian Diare Crosstabulation

			Kejadian Diare		Total
			TDK DIARE	DIARE	
Sarana Pembuangan Tinja Jamban	MS	Count	20	11	31
		% within Sarana Pembuangan Tinja Jamban	64,5%	35,5%	100,0%
		% within Kejadian Diare	41,7%	37,9%	40,3%
	TMS	Count	28	18	46
		% within Sarana Pembuangan Tinja Jamban	60,9%	39,1%	100,0%
		% within Kejadian Diare	41,7%	37,9%	40,3%

	% within Kejadian Diare	58,3%	62,1%	59,7%
Total	Count	48	29	77
	% within Sarana	62,3%	37,7%	100,0%
	Pembuangan Tinja Jamban			
	% within Kejadian Diare	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	,105 ^a	1	,746		
Continuity Correction ^b	,007	1	,933		
Likelihood Ratio	,105	1	,746		
Fisher's Exact Test				,008	,046
Linear-by-Linear Association	,104	1	,748		
N of Valid Cases	77				

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sarana Pembuangan Tinja Jamban (MS / TMS)	1,169	,455	3,005
For cohort Kejadian Diare = TDK DIARE	1,060	,748	1,503
For cohort Kejadian Diare = DIARE	,907	,500	1,646
N of Valid Cases	77		

Bootstrap for Risk Estimate

	Value	Bias	Std. Error	Bootstrap ^a 95% Confidence Interval	
				Lower	Upper
Odds Ratio for Sarana Pembuangan Tinja Jamban (MS / TMS)	1,169	,191	,862	,462	3,392
For cohort Kejadian Diare = TDK DIARE	1,060	,015	,200	,741	1,504
For cohort Kejadian Diare = DIARE	,907	,034	,300	,433	1,605
N of Valid Cases	77	0	0	77	77

**BOOTSTRAP
Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Sarana Pembuangan Sampah Sementara * Kejadian Diare	77	100,0%	0	0,0%	77	100,0%

Sarana Pembuangan Sampah Sementara * Kejadian Diare Crosstabulation

			Kejadian Diare		Total
			TDK DIARE	DIARE	
Sarana Pembuangan Sampah Sementara	MS	Count	25	20	45
		% within Sarana Pembuangan Sampah Sementara	55,6%	44,4%	100,0%
		% within Kejadian Diare	52,1%	69,0%	58,4%
	TMS	Count	23	9	32
		% within Sarana Pembuangan Sampah Sementara	71,9%	28,1%	100,0%
		% within Kejadian Diare	47,9%	31,0%	41,6%
Total	Count	48	29	77	
	% within Sarana Pembuangan Sampah Sementara	62,3%	37,7%	100,0%	
	% within Kejadian Diare	100,0%	100,0%	100,0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	2,121 ^a	1	,145		
Continuity Correction ^b	1,483	1	,223		
Likelihood Ratio	2,157	1	,142		
Fisher's Exact Test				,161	,111
Linear-by-Linear Association	2,094	1	,148		
N of Valid Cases	77				

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sarana Pembuangan Sampah Sementara (MS / TMS)	,489	,186	1,289
For cohort Kejadian Diare = TDK DIARE	,773	,550	1,085
For cohort Kejadian Diare = DIARE	1,580	,831	3,006
N of Valid Cases	77		

Bootstrap for Risk Estimate

	Value	Bias	Std. Error	Bootstrap ^a 95% Confidence Interval	
				Lower	Upper
Odds Ratio for Sarana Pembuangan Sampah Sementara (MS / TMS)	,489	,056	,288	,148	1,280
For cohort Kejadian Diare = TDK DIARE	,773	,014	,140	,545	1,085
For cohort Kejadian Diare = DIARE	1,580	,169	,778	,867	3,774
N of Valid Cases	77	0	0	77	77

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Sarana Pembuangan Limbah Cair * Kejadian Diare	77	100,0%	0	0,0%	77	100,0%

Sarana Pembuangan Limbah Cair * Kejadian Diare Crosstabulation

			Kejadian Diare		Total
			TDK DIARE	DIARE	
Sarana Pembuangan Limbah Cair	MS	Count	21	9	30
		% within Sarana Pembuangan Limbah Cair	70,0%	30,0%	100,0%
	% within Kejadian Diare	43,8%	31,0%	39,0%	
	TMS	Count	27	20	47

	% within Sarana Pembuangan Limbah Cair	57,4%	42,6%	100,0%
	% within Kejadian Diare	56,3%	69,0%	61,0%
Total	Count	48	29	77
	% within Sarana Pembuangan Limbah Cair	62,3%	37,7%	100,0%
	% within Kejadian Diare	100,0%	100,0%	100,0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1,229 ^a	1	,268		
Continuity Correction ^b	,753	1	,386		
Likelihood Ratio	1,246	1	,264		
Fisher's Exact Test				,338	,193
Linear-by-Linear Association	1,213	1	,271		
N of Valid Cases	77				

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Sarana Pembuangan Limbah Cair (MS / TMS)	1,728	,654	4,567
For cohort Kejadian Diare = TDK DIARE	1,219	,868	1,712
For cohort Kejadian Diare = DIARE	,705	,372	1,337
N of Valid Cases	77		

Bootstrap for Risk Estimate

	Value	Bootstrap ^a			
		Bias	Std. Error	95% Confidence Interval	
				Lower	Upper
Odds Ratio for Sarana Pembuangan Limbah Cair (MS / TMS)	1,728	,325 ^b	1,258 ^b	,675 ^b	5,367 ^b
For cohort Kejadian Diare = TDK DIARE	1,219	,019	,228	,857	1,737
For cohort Kejadian Diare = DIARE	,705	,023 ^b	,248 ^b	,308 ^b	1,273 ^b
N of Valid Cases	77	0	0	77	77