

**POLITEKNIK KESEHATAN TANJUNGPURUN JURUSAN
KEPERAWATAN PROGRAM STUDI SARJANA
TERAPAN KEPERAWATAN
Skripsi, September 2022**

Randi Ariasta Mukhlisin

**PENGARUH ACUPRESSURE WRISTBAND DI TITIK NEIGUAN (P6)
TERHADAP POST OPERATIVE NAUSEA VOMITING (PONV) PADA
PASIEN BEDAH DI RSUD DR. H. ABDUL MOELOEK
(xii + 44 halaman, 5 tabel, 5 gambar, 6 Lampiran)**

ABSTRAK

PONV merupakan perasaan mual dan muntah yang dirasakan oleh seseorang dalam 24 jam setelah prosedur anestesi dan pembedahan. PONV menyebabkan ketidaknyamanan pasien setelah menjalani operasi. Salah satu terapi non farmakologi yaitu terapi alternatif untuk mengatasi mual dan muntah pasca bedah dengan menggunakan terapi akupresur di titik akupresur P6 (pericardium 6). Tujuan penelitian ini diketahui pengaruh *acupressure wristband* di titik neiguan (P6) terhadap *postoperative nausea vomiting* (PONV) pada pasien bedah di RSUD Dr. H. Abdul Moeloek Provinsi Lampung Tahun 2022. Jenis penelitian yang digunakan dalam penelitian ini adalah penelitian kuantitatif dengan pendekatan *one group pretest-postes*. Populasi dalam penelitian ini adalah seluruh pasien Mual dan muntah setelah operasi bedah dengan sampel sebanyak 18. Penelitian telah dilaksanakan di RSUD Dr. Hi. Abdul Moeloek Provinsi Lampung pada bulan Juli 2022. Pengumpulan Data dengan menggunakan lembar observasi dan kuesioner. analisis Univariat dan Bivariat (*uji wilcoxon*). Hasil penelitian diketahui rata-rata mual muntah sebelum diberikan terapi akupresur adalah 2,4 dan setelah diberikan terapi akupresur adalah 1,2. Ada efektifitas penggunaan *acupressure wristband* di titik neiguan (P6) terhadap *postoperative nausea vomiting* (PONV) pada pasien bedah di RSUD Dr. H. Abdul Moeloek Provinsi Lampung Tahun 2022 ($p\text{-value} = 0,000$).saran bagi tenaga kesehatan dapat menjadikan *acupressure wristband* di titik neiguan (P6) sebagai salah satu intervensi keperawatan dalam membantu meringankan mual muntah pada pasien bedah.

Kata Kunci : PONV dan *acupressure wristband* di titik neiguan (P6)
Kepustakaan : 22 (2013-2020)

**TANJUNGPOLYTECHNIC OF HEALTH
TANJUNGPOLYTECHNIC SCHOOL OF NURSING
APPLIED NURSING STUDY PROGRAM
Thesis, September 2022**

Randi Ariasta Mukhlisin

THE EFFECT OF WRISTBAND ACUPRESSURE AT NEIGUAN POINT (P6) ON POST OPERATIVE NAUSEA VOMITING (PONV) IN SURGICAL PATIENTS IN RSUD DR. HI. ABDUL MOELOEK

(xii + 44 pages, 5 tables, 5 pictures, 6 appendices)

ABSTRACT

PONV is a feeling of nausea and vomiting felt by a person within 24 hours after anesthesia and surgery procedures. PONV causes patient discomfort after undergoing surgery. One of the non-pharmacological therapies is alternative therapy to treat postoperative nausea and vomiting by using acupressure therapy at the P6 acupressure point (pericardium 6). The purpose of this study was to determine the effect of acupressure wristband at the neiguan point (P6) on postoperative nausea vomiting (PONV) in surgical patients at RSUD Dr. H. Abdul Moeloek Lampung Province 2022. The type of research used in this research is quantitative research with a one group pretest-posttest approach. The population in this study were all patients with nausea and vomiting after surgery with a sample of 18. The study was carried out at RSUD Dr. Hi. Abdul Moeloek Lampung Province in July 2022. Data collection using observation sheets and questionnaires. Univariate and Bivariate analysis (Wilcoxon test). The results showed that the average nausea and vomiting before being given acupressure therapy was 2.4 and after being given acupressure therapy was 1.2. There is an effectiveness of using acupressure wristband at the neiguan point (P6) against postoperative nausea vomiting (PONV) in surgical patients at RSUD Dr. H. Abdul Moeloek Lampung Province in 2022 (p -value = 0.000). Suggestions for health workers can use acupressure wristband at the Neiguan point (P6) as one of the nursing interventions to help relieve nausea and vomiting in surgical patients.

Keywords: PONV and acupressure wristband at neiguan point (P6)

Bibliography: 22 (2013-2020)