

**POLITEKNIK KESEHATAN TANJUNGKARANG  
JURUSAN FARMASI  
Laporan Tugas Akhir, Juli 2024**

**Firda Yola Aminda Natasa**

**Gambaran Penggunaan Obat Pada Pasien Gastritis Di Puskesmas  
Yosomulyo Kota Metro  
xviii + 71 halaman, 5 gambar, 6 tabel, 6 lampiran**

**ABSTRAK**

Pembangunan kesehatan saat ini dihadapkan pada dua masalah, disatu penyakit menular masih merupakan masalah kesehatan masyarakat yang belum banyak tertangani, dilain pihak telah terjadi peningkatan kasus penyakit tidak menular (PTM) yang banyak disebabkan oleh gaya hidup. Gastritis merupakan salah satu masalah kesehatan saluran pencernaan yang paling sering terjadi.

Tujuan penelitian ini untuk mengetahui gambaran penggunaan obat pada pasien gastritis di puskesmas yosomulyo kota metro. Penelitian ini menggunakan metode deskriptif yang bersifat retrospektif, dengan menggunakan data sekunder berupa resep pasien yang diambil di Puskesmas Yosomulyo dilakukan dengan teknik *accidental sampling*. Data yang diperoleh pada periode januari sampai dengan desember 2023. Hasil disajikan dalam bentuk distribusi frekuensi dan persentase. Hasil penelitian menunjukan bahwa dari jumlah 100 pasien gastritis paling banyak berjenis kelamin perempuan sebanyak 72 pasien (72%), sedangkan untuk usia paling banyak pada usia dewasa yaitu 18-44 tahun sebanyak 44 pasien (44%) dengan tingkat pendidikan yang paling banyak adalah tingkat pendidikan SMA dengan persentase 65% (65 pasien) dan penderita gastritis paling banyak dialami oleh pasien yang bekerja sebagai ibu rumah tangga dengan persentase 52% (52 pasien). Jenis obat paling banyak digunakan adalah obat antasida dengan persentase 57% (81 obat). Terapi obat tunggal dan kombinasi dapat diketahui bahwa terapi tunggal yang paling banyak digunakan adalah jenis obat antasida dengan persentase 74,6% (44 obat ) dan kombinasi yang paling banyak digunakan adalah kombinasi Antasida + Lansoprazole dengan persentase 43,9% (18 obat ). Aturan pakai dan dosis paling banyak adalah obat antasida tablet 400 mg 3 x kali sehari 1 tablet sebelum makan dengan persentase 52,1% (74 obat).

Kata Kunci : Gambaran, gastritis, Kota Metro, Puskesmas Yosomulyo  
Daftar Bacaan : 34 (2001-2022)

**POLYTECHNIC OF HEALTH TANJUNGKARANG  
PHARMACEUTICAL DEPARTMENT**  
**Final Project Report, July 2024**

**Firda Yola Aminda Natasa**

**Description of Medication Use in Gastritis Patients at the Yosomulyo Health Center, Metro City**  
**xviii + 71 pages, 5 figures, 6 tables, 6 appendices**

**ABSTRACT**

*Health development is currently faced with two problems, on one hand infectious diseases are still a public health problem that has not been addressed much, on the other hand there has been an increase in cases of non-communicable diseases (NCDs) which are mostly caused by lifestyle. Gastritis is one of the most common digestive tract health problems.*

*The aim of this study was to determine the description of drug use in gastritis patients at the Yosomulyo health center, metro city. This research uses a retrospective descriptive method, using secondary data in the form of patient prescriptions taken at the Yosomulyo Community Health Center using accidental sampling techniques. Data obtained in the period January to December 2023. Results are presented in the form of frequency distribution and percentages. The results of the study showed that of the 100 gastritis patients, the majority were female, 72 patients (72%), while the most common age group was adults, namely 18-44 years, 44 patients (44%) with the highest level of education being high school. high school education with a percentage of 65% (65 patients) and gastritis sufferers are mostly experienced by patients who work as housewives with a percentage of 52% (52 patients). The type of drug most commonly used is antacid drugs with a percentage of 57% (81 drugs). Single and combination drug therapy can be seen that the most widely used single therapy is antacid drugs with a percentage of 74.6% (44 drugs) and the most widely used combination is the Antacid + Lansoprazole combination with a percentage of 43.9% (18 drugs). The most common use and dosage regimen is 400 mg antacid tablets 3 times a day, 1 tablet before meals with a percentage of 52.1% (74 drugs).*

**Keywords:** Overview, gastritis, Metro City, Yosomulyo Health Center  
**Reading List:** 34 (2001-2022)