

LAMPIRAN



Pengambilan bahan



Kulit jeruk nipis yang telah kering



Kulit jeruk nipis yang telah di blender



Hasil ekstrak yang telah direndam dengan etanol 96% selama 1x24jam



proses evaporasi kulit jeruk nipis



Proses rearing



Pengamatan kematian larva (ekstrak)



Proses penyaringan



Larva nyamuk



Proses ekstrak

Batas Kepercayaan				
Probability		95% Confidence Limits for Konsentrasi		
		Estimate	Lower Bound	Upper Bound
PROBIT	.010	-2,135	-7,740	0,609
	.020	-1,088	-6,116	1,409
	.030	-0,423	-5,090	1,921
	.040	0,077	-4,322	2,309
	.050	0,484	-3,698	2,627
	.060	0,830	-3,170	2,899
	.070	1,133	-2,708	3,140
	.080	1,405	-2,295	3,356
	.090	1,652	-1,921	3,554
	.100	1,879	-1,578	3,738
	.150	2,821	-0,172	4,511
	.200	3,570	0,925	5,147
	.250	4,212	1,846	5,712
	.300	4,789	2,652	6,240
	.350	5,323	3,377	6,752
	.400	5,830	4,042	7,261
	.450	6,321	4,660	7,778
	.500	6,804	5,241	8,314
	.550	7,286	5,796	8,877
	.600	7,777	6,331	9,477
	.650	8,284	6,857	10,125
	.700	8,818	7,384	10,835
	.750	9,395	7,926	11,627
	.800	10,037	8,503	12,536
	.850	10,786	9,149	13,623
	.900	11,728	9,931	15,020
	.910	11,955	10,116	15,361
	.920	12,202	10,316	15,733
	.930	12,474	10,534	16,144
	.940	12,777	10,776	16,604
	.950	13,123	11,050	17,131
	.960	13,530	11,370	17,753
	.970	14,030	11,760	18,519
	.980	14,695	12,274	19,543
	.990	15,742	13,077	21,165

Jumlah Kasus dan Residual							
	Number	Konsentrasi	Jumlah subjek	Respon yang diamati	Respon yang diharapkan	Residual	Kemungkinan
PROBIT	1	.000	20	0	.766	-.766	.038
	2	5.000	20	9	6.388	2.612	.319
	3	10.000	20	14	15.945	-1.945	.797
	4	15.000	20	20	19.671	.329	.984