

DAFTAR PUSTAKA

- Abbas AK, Lichtman AH, Pillai S. 2016. *Imunologi dasar abbas: fungsi dan kelainan sistem imun*. Edisi ke-5. Kalim H, penyunting. Indonesia: Elsevier.
- Abdul Wahab A, Mohammad M, Rahman MM, Mohamed Said MS. Antibodi peptida sitrulinasi siklik merupakan indikator yang baik untuk diagnosis artritis reumatoid. *Pak J Med Sci*. 2013 Mei-Juni 29(3):773-77. from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3809312>
- Adji.I.S., 2017. *Agregasi Trombosit dan Laju Endap Darah pada Model Tikus Periodontitis*. Skripsi. Jember. Universitas Negeri Jember
- Agnes pelapelapon. Supriaya Edi, Dewi Cahya. 2021. Rasio neutrofil- limfosit sebagai faktor prediktor remisi pada lupus anak. from : <https://etd.repository.ugm.ac.id/penelitian/detail/206464#:~:text=Latar%20belakang%3A%20Rasio%20neutrofil%20limfosit,maupun%20inflamasi%20atau%20stres%20fisiologis.>
- Angum, F., Khan, T., Kaler, J., Siddiqui, L., & Hussain, A. (2020). The Prevalence of Autoimmune Disorders in Women: A Narrative Review. *Cureus*, 12(5). <https://doi.org/10.7759/cureus.8094>
- Andi. 2022. Hubungan Rasio Neutrofil limfosit dengan aktifitas penyakit pada pasien artritis reumatoid. Progam studi ilmu penyakit dalam fakultas kedokteran makasar.
- Ayumar, A., & Andi, Y. (2018). Faktor-Faktor yang Berhubungan dengan Kejadian Rheumatoid arthritis pada Lansia di Puskesmas Tompobulu Kabupaten Gowa. *Jurnal Mitrasedhat*, VI
- Baratawidjaja KG, Rengganis I. 2018. *Imunologi dasar*. Edisi ke-12. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia.
- Buku Pedoman Penulisan Skripsi. 2019. Prodi D1V Analisis Kesehatan. Poltekkes Tanjung Karang.
- Boots, A. M. H., Maier, A. B., Stinissen, P., Masson, P., Lories, R. J., & De Keyser, F. (2013). The influence of ageing on the development and management of rheumatoid arthritis. *Nature Reviews Rheumatology*, 9(10), 604–613. <https://doi.org/10.1038/nrrheum.2013.92>
- Conforti, A., Di Cola, I., Pavlych, V., Ruscitti, P., Berardicurti, O., Ursini, F., ... & Cipriani, P. (2021). Beyond the joints, the extra-articular manifestations in rheumatoid arthritis. *Autoimmunity reviews*, 20(2), 102735. pengertian RA. from: <https://doi.org/10.1016/j.autrev.2020.102735>
- Dougados, Maxime, et al. "Prevalence of comorbidities in rheumatoid arthritis and evaluation of their monitoring: results of an international, cross-sectional study (COMORA)." *Annals of the rheumatic diseases* 73.1 (2014): 62-68.

- Fajri, A. N., & Muhlisin, A. (2019). Gambaran Quality of Life pada Penderita Rheumatoid Arthritis di Komunitas. Universitas Muhammadiyah Surakarta
- Firestein, GS; McInnes, IB. Immunopathogenesis arthritis reumatoid. *Immunity* 2017 , 46 , 183–196 from: [Immunopathogenesis of Rheumatoid Arthritis: Immunity](#)
- Forget P, Khalifa C, Defour JP, Latinne D, Van Pel MC, De Kock M. What is the normal value of the neutrophil-to-lymphocyte ratio? *BMC Res Notes*. 2017 Jan 3;10(1):12. doi: 10.1186/s13104-016-2335-5. PMID: 28057051; PMCID: PMC5217256.
- GBD 2021 Rheumatoid Arthritis Collaborators. Beban global, regional, dan nasional rheumatoid arthritis, 1990–2020, dan proyeksi hingga 2050: analisis sistematis Global Burden of Disease Study 2021. *The Lancet Rheumatology*. Oktober 2023. doi: 10.1016/S2665-9913(23)00211-4.
- Gerosa, M., De Angelis, V., Riboldi, P., & Meroni, P. L. (2008). Rheumatoid arthritis: A female challenge. *Women's Health*, 4(2), 195–201. <https://doi.org/10.2217/17455057.4.2.195>
- Guo, Q.; Wang, Y.; Xu, D.; Nossent, J.; Pavlos, NJ; Xu, J. Arthritis reumatoid: Mekanisme patologis dan terapi farmakologis modern. *Bone Res*. 2018 , 6 , 1–15. From: [Rheumatoid arthritis: pathological mechanisms and modern pharmacologic therapies | Bone Research](#)
- Hachfi, H., Sarraj, R., Brahem, M., Jomaa, O., Othman, N., Abdellatif, S., Jebali, B., & Mohamed, Y. (2023). AB0282 PENANDA INFLAMASI BARU PADA RHEUMATOID ARTHRITIS: RASIO NEUTROPHIL/LYMPHOCYTE(NLR). *Sejarah Penyakit Reumatik* . <https://doi.org/10.1136/annrheumdis-2023-eular.5809> . Diakses 20 sepeteber 2024
- Hafizhah, Athamya, Umi Romayati Keswara, and Dhiny Easter Yanti. 2020. “Kejadian Rheumatoid Arthritis Pada Lansia Di Poliklinik Bandar Lampung.” *Holistik Jurnal Kesehatan* 14(3): 375–382
- Hamad H, Mangla A. 2022. Lymphocytosis. Treasure Island (FL): StatPearls Publishing.
- Hannemann, N.; Apparailly, F.; Courties, G. Makrofag sinovial: Dari pemakan biasa hingga multitasker yang luar biasa. *Trends Immunol*. 2021 , 42 , 368–371.
- Hidayat R, Suryana BPP, Wijaya LK, Ariane A, Hellmi RY, Adnan E, et al. Diagnosis dan Pengelolaan Arthritis Reumatoid. *Perhimpunan Reumatologi Indonesia*; 2021.
- Ishikawa, Y.; Terao, C. Dampak merokok terhadap risiko arthritis reumatoid: Tinjauan naratif. *Cells* 2020 , 9 , 475.from : <https://doi.org/10.3390/cells9020475>

- Jason El Brihi,Dkk.2024.Hitung Darah Lengkap Normal dan Abnormal Dengan Diferensial.from : https://www-ncbi-nlm-nih-gov.translate.goog/books/NBK604207/? x tr sl=en& x tr tl=id& x tr hl=id& x tr_pto=sge#:~:text=Komponen%20CBC%20dapat%20membantu%20mengidentifikasi,CBC%20yang%20abnormal%20dan%20dianjurkan
- Josh, R. (2019). Hematologic Markers of Inflammation in Autoimmune Diseases. New York: Springer Publishing.
- Julianti D. 2023. Hubungan RNL dengan lama rawat inap pada pasien Pneumonia di rumah sakit umum daerah DR.H.Abdul Moeloek provinsi lampung
- Kurowska, W.; Kuca-Warnawin, E.H.; Radzikowska, A.; Maśliński, W. The role of anti-citrullinated protein antibodies (ACPA) in the pathogenesis of rheumatoid arthritis. Cent. J. Immunol. 2017, 42, 390–398. From: <https://doi.org/10.5114/ceji.2017.72807>
- Kong M, Zhang H, Cao X, Mao X, Lu Z. 2020.Higher level of neutrophil-to-lymphocyte is associated with severe COVID-19. Epidemiol Infect 148(e139):1-6.
- Lagunas-Rangel, F. A. (2020). Neutrophil-to-lymphocyte ratio and lymphocyte-to-C-reactive protein ratio in patients with severe coronavirus disease 2019 (COVID-19): A meta-analysis. In Journal of Medical Virology (Vol. 92, Issue 10, pp. 1733–1734).from: <https://pubmed.ncbi.nlm.nih.gov/32242950/>
- Lahemma, A. (2019). Pengaruh Terapi Back Massage terhadap Penurunan Tingkat Nyeri Pada Penderita Rheumatoid Arthritis, 1–7
- Liu Y, Du X, Chen J, Jin Y, Peng L, Wang HHX, *et al.* 2020. Neutrophil-to-lymphocyte ratio as an independent risk factor for mortality in hospitalized patients with COVID-19. J Infect. 81(1):e6-e12.
- Masyeni, K, A. 2017. "Rheumatoid Arthritis." Ilmu Penyakit Dalam RSUP Sanglah Fakultas Kedokteran Universitas Udayana.
- McInnes I, O'Dell JR. Rheumatoid Arthritis. In: Crow MK, Davidson NE, Drazen JM, Griggs RC, Landry DW, Levinson W, et al., editors. GoldmanCecil Medicine [Internet]. 26th ed. Philadelphia: Elsevier Inc.; 2020. p. 1709–18. Available from: <https://rheumatoidarthritisnews.com/> diakses 16 september 2024
- MedlinePlus [Internet]. Bethesda (MD): National Library of Medicine (US); [updated 2020 Jun 24]. Noonan syndrome; [updated 2020 Jun 18; [about 5 p.]. Available from: <https://medlineplus.gov/genetics/condition/noonan-syndrome/>.

- Mercan R, Bitik B, Tufan A, Bozbulut UB, Atas N, Ozturk MA, et al. The Association Between Neutrophil/Lymphocyte Ratio and Disease Activity in Rheumatoid Arthritis and Ankylosing Spondylitis. *J Clin Lab Anal* [Internet]. 2016 Sep;30(5):597–601. Available from: <http://doi.wiley.com/10.1002/jcla.21908>. Diakses 16 september 2024
- Mervat, Ismail, & Rabab Afifi Mohamed, 2017. Neutrophil-lymphocyte and platelet-lymphocyte ratios in rheumatoid arthritis patients: Relation to disease activity.
- Nurwulan, E. (2017). Pengaruh Senam Rematik terhadap Tingkat Nyeri Sendi pada Lansia Penderita Rheumatoid Arthritis, 1–15
- Riskesdas. (2018). Hasil Utama Riset Kesehata Dasar (RISKESDAS) (Vol. 44, Issue 8). <https://doi.org/10.1088/1751-8113/44/8/085201> diakses 16 september 2024
- Safiri, S.; Kolahi, AA; Hoi, D.; Smith, E.; Bettamadi, D.; Mansurnia, MA; Almasi-Hashiani, A.; Ashrafi-Asgarabad, A.; Moradi-Lakeh, M.; Qorbani, M.; dkk. Beban rheumatoid arthritis global, regional dan nasional 1990–2017: Analisis sistematis studi beban penyakit global 2017. *Ann. Selesma. Dis.* 2019 , 78 , 1463–1471. from: [Global, regional and national burden of rheumatoid arthritis 1990–2017: a systematic analysis of the Global Burden of Disease study 2017 | Annals of the Rheumatic Diseases](#)
- Salsabila, Putri. 2022. Gambaran Rasio Neutrofil Limfosit (RNL), LED, dan CRP Pada Pasien Artritis Reumatoid di RSUD Dr. Mohammad Hoesin Biyik M, Ucar R, Solak Y, dkk. Rasio neutrofil-limfosit darah secara independen memprediksi kelangsungan hidup pada pasien dengan sirosis hati. *Eur J Gastroenterol Hepatol* 2013;25(4):435–441. Palembang.
- Sejarah RSUD. Dr. H. Abdul Moeloek provinsi Lampung. <https://rsudam.lampungprov.go.id/pages/sejarah> diakses 21 september 2024
- Slobodin, G Artritis reumatoid Slobodin, G · Shoenfeld, Y Penyakit rematik pada geriatri: diagnosis dan penanganan *Jurnal Ilmu Komputer*, 2020; 173-183
- Tahir, A. (2022). *Hematologi Klinis: Panduan Interpretasi Data Laboratorium*. Jakarta: EGC.
- Taylor-Gjevre, R., Nair, B., Jin, S., & Quail, J. (2018). Geographic variation in incidence and prevalence rates for rheumatoid arthritis in Saskatchewan, Canada 2001–2014. *Canadian Journal of Public Health*, 109, 427–435. from: [Geographic variation in incidence and prevalence rates for rheumatoid arthritis in Saskatchewan, Canada 2001–2014 | Canadian Journal of Public Health](#)

- Taylor PC. Update on the diagnosis and management of early rheumatoid arthritis. Clin Med J R Coll Physicians London. 2020;20(6):561–4. From : <https://pmc.ncbi.nlm.nih.gov/articles/PMC7687323/>
- Theis, KA; Steinweg, A.; Helmick, CG; Courtney-Long, E.; Bolen, JA; Lee, R. Yang mana? Jenis apa? Berapa banyak? Jenis, penyebab, dan prevalensi disabilitas di kalangan orang dewasa AS. Disabil. Health J. 2019 , 12 , 411–421.from: <https://doi.org/10.1016/j.dhjo.2019.03.001>
- Uslu, A.U., Küçük, A., Şahin, A., et al. (2013). Two new inflammatory markers associated with Disease Activity Score-28 in patients with rheumatoid arthritis: neutrophil–lymphocyte ratio and platelet–lymphocyte ratio. *International Journal of Rheumatic Diseases*, 18(7), 731–735.
- Van Gorkom GNY, Klein Wolterink RGJ, Van Elssen CHMJ, et al. Influence of Vitamin C on lymphocytes: An overview. *Antioxidants*. 2018;7(3):1–14 from: <https://www.mdpi.com/2076-3921/7/3/41>
- Wardani, N., & Masduchi, R. (2019). Rheumatoid Arthritis. Surabaya Physical Medicine and Rehabilitation Journal. <https://doi.org/10.20473/spmrj.v1i1.16169>.
- Widiyanti, R., & Pratiwi, A. (2020). Hubungan antara Kadar Neutrofil dengan Aktivitas Penyakit pada Pasien Rheumatoid Arthritis. *Jurnal Ilmu Kesehatan*, 8(2), 150–158.
- Yang X, Yu Y, Xu J, Shu H, Xia J, Liu H, *et al.* 2020. Clinical course and outcomes of critically ill patients with SARS-CoV-2 pneumonia in Wuhan, China: a single-centered, retrospective, observational study. *Lancet Respir Med*. 8(5):475–8
- Yoon CI, Park S, Cha YJ, Lee HS, Bae SJ, Cha C, Lee DY, Ahn SG, Jeong J. Associations between absolute neutrophil count and lymphocyte-predominant breast cancer. *Breast*. 2020 Apr;50:141-148. doi: 10.1016/j.breast.2019.09.013. Epub 2019 Oct 3. PMID: 31607527; PMCID: PMC7375640.
- Zahorec R. Neutrophil-to-lymphocyte ratio, past, present and future perspectives. *Bratisl Lek Listy*. 2021;122(7):474-488. doi: 10.4149/BLL_2021_078. PMID: 34161115.
- Zhang Y, Yin Y, Kuai S, Shan Z, Pei H, Wang J. Combination of neutrophil to lymphocyte ratio and platelet to lymphocyte ratio as diagnostic biomarker for rheumatoid arthritis. *Int J Clin Exp Med*. 2016;9(11):22076–81.
- Zinellu, A., & Mangoni, A. (2022). Neutrophil-to-lymphocyte and platelet-to-lymphocyte ratio and disease activity in rheumatoid arthritis: A systematic review and meta-analysis. <https://pubmed.ncbi.nlm.nih.gov/36121342/>. Diakses 20 september 2024