

DAFTAR PUSTAKA

- Abdullahi, A., Sabo, B., Badaru, U. M., Saeys, W., & Truijen, S. (2022). Factors influencing recovery of upper limb motor function during constraint-induced movement therapy for people with stroke. *Translational Neuroscience*, 13(1), 453–459. <https://doi.org/10.1515/tnsci-2022-0260>
- Andrianur, F., Kosasih, C. E., & Rahayu, U. (n.d.). *CONSTRAINT-INDUCED MOVEMENT THERAPY (CIMT) WITH FIVE DAILY ACTIVITIES FOR SEVEN DAYS OF EXERCISE INCREASES MUSCLE STRENGTH ON PATIENTS HEMIPARESIS POST ISCHEMIC STROKE*.
- de Azevedo, J. A., Barbosa, F. D. S., Seixas, V. M., da Silva Scipioni, K. R. D., Sampaio, P. Y. S., da Cruz, D. M. C., Piscitelli, D., Chui, K. K., & de Freitas Zanona, A. (2022). Effects of constraint-induced movement therapy on activity and participation after a stroke: Systematic review and meta-analysis. *Frontiers in Human Neuroscience*, 16, 1–11. <https://doi.org/10.3389/fnhum.2022.987061>
- Martono, M., Editya Darmawan, R., & Nur Anggraeni, D. (2022). J u r n a l K e p e r a w a t a n M u h a m m a d i y a h Faktor-Faktor Yang Berhubungan Dengan Kejadian Stroke Pada Usia Produktif. *Jurnal Keperawatan Muhammadiyah*, 7(1), 287.
- Misra Fatmi, Y., Khusniyati, N. M., Meri Agritubella, S., DIII Keperawatan, P., & Kemenkes Riau, P. (n.d.). The Effect of Constraint Induced Movement Therapy on the Functional Ability of Upper Extremities in Stroke Patients. *Riwayat: Educational Journal of History and Humanities*, 6(4), 2967–2972. <https://doi.org/10.24815/jr.v6i4.35967>
- Naval, N. S., & Bhardwaj, A. (2017). Ischemic stroke. In *Handbook of Neurocritical Care: Second Edition*. https://doi.org/10.1007/978-1-4419-6842-5_20
- Notoatmodjo, S. (2018). *Metodologi Penelitian Kesehatan* (Cetakan Ke). PT Rineka Cipta.
- Pinzon, R., & Asanti, L. (2016). *AWAS STROKE!* Penerbit Andi.
- Prof. Dr. Sugiono. (2019). *No Title Metodologi Penelitian Kuantitatif, Kualitatif, dan R&D* (M. Dr. Ir. Sutopo. S.Pd (ed.); CETAKAN KE).
- Reddy, R. S., Gular, K., Dixit, S., Kandakurti, P. K., Tedla, J. S., Gautam, A. P., & Sangadala, D. R. (2022). Impact of Constraint-Induced Movement Therapy (CIMT) on Functional Ambulation in Stroke Patients—A Systematic Review and Meta-Analysis. *International Journal of Environmental Research and Public Health*, 19(19).

<https://doi.org/10.3390/ijerph191912809>

- Rizki, T. A., Putri, K., Zuhri, A. S., Keperawatan, D., Bedah, M., Tinggi, S., Keperawatan, I., Jabar, P., Studi, M. P., & Keperawatan, S. (2022). Pengaruh Constraint Induced Movement Therapy Terhadap Kinerja Ekstremitas Atas Pada Pasien Pasca Stroke. *Medical-Surgical Journal of Nursing Research Tri Antika, et.Al*, 1(1), 74–82.
- Roboth, T., Sengkey, L., & Marpaung, E. (2020). Modifikasi Constraint Induced Movement Therapy Dibanding Terapi Cermin Terhadap Peningkatan Kemampuan Fungsional Ekstremitas Atas Pasien Stroke Subakut. *Jurnal Medik Dan Rehabilitasi*, 2(1), 1–10.
<https://ejournal.unsrat.ac.id/index.php/jmr/article/view/28619/27952>
- Tanabe, H., Tanabe, H., Mikawa, T., & Takata, Y. (2022). Efficacy of Lower Limb Constraint-Induced Therapy for Hemiplegia in Stroke Patients during Maintenance Period. *Integrative Journal of Medical Sciences*, 9(Ci).
<https://doi.org/10.15342/ijms.2022.682>
- Wang, D., Xiang, J., He, Y., Yuan, M., Dong, L., Ye, Z., & Mao, W. (2022). The Mechanism and Clinical Application of Constraint-Induced Movement Therapy in Stroke Rehabilitation. *Frontiers in Behavioral Neuroscience*, 16(June), 1–7. <https://doi.org/10.3389/fnbeh.2022.828599>